

Acme

PORTABLE STACKING RACKS

2000 LB. CAPACITY
STANDARD DUTY

4000 LB. CAPACITY
HEAVY DUTY

SIX BASE TYPES

1. Two Way STANDARD
2. Four Way STANDARD
3. Open
4. Two Way Side
5. Four Way Side
6. Four Way T.T.T.

BASE OPTIONS


1. Extra Deep Pockets
2. Fork Stirrups
3. Casters

SEVEN DECK TYPES

1. Open Frame
2. Wood Slats
3. Plywood
4. Steel
5. Expanded Metal
6. Wire Mesh
7. Perforated Metal


POSTS

1. Removable STANDARD
2. Fixed OPTIONAL
With
4 1/2" Target STANDARD
6" Target OPTIONAL




ACME RACK


STACKING RACKS



**2,000 LBS. AND 4,000 LBS.
CAPACITY**



C806 Base 2 Way Standard



C808 Base 4 Way Standard

• UNDERCLEARANCE 4 1/2"

BASES — 2 WAY

2,000 LB. CAPACITY				4,000 LB. CAPACITY			
MODEL NUMBER	WIDTH	LENGTH	WT* EA. LBS.	MODEL NUMBER	WIDTH	LENGTH	WT* EA. LBS.
C806-2-3042	30"	42"	32	C806-4-3042	30"	42"	43
C806-2-3048	30"	48"	34	C806-4-3048	30"	48"	46
C806-2-3054	30"	54"	36	C806-4-3054	30"	54"	49
C806-2-3060	30"	60"	38	C806-4-3060	30"	60"	52
C806-2-3642	36"	42"	35	C806-4-3642	36"	42"	47
C806-2-3648	36"	48"	37	C806-4-3648	36"	48"	50
C806-2-3654	36"	54"	39	C806-4-3654	36"	54"	53
C806-2-3660	36"	60"	41	C806-4-3660	36"	60"	56
C806-2-4242	42"	42"	38	C806-4-4242	42"	42"	50
C806-2-4248	42"	48"	40	C806-4-4248	42"	48"	53
C806-2-4254	42"	54"	42	C806-4-4254	42"	54"	56
C806-2-4260	42"	60"	44	C806-4-4260	42"	60"	59
C806-2-4848	48"	48"	42	C806-4-4848	48"	48"	56
C806-2-4854	48"	54"	44	C806-4-4854	48"	54"	59
C806-2-4860	48"	60"	46	C806-4-4860	48"	60"	62

BASES — 4 WAY

C808-2-4242	42"	42"	45	C808-4-4242	42"	42"	57
C808-2-4248	42"	48"	48	C808-4-4248	42"	48"	61
C808-2-4254	42"	54"	52	C808-4-4254	42"	54"	65
C808-2-4260	42"	60"	55	C808-4-4260	42"	60"	69
C808-2-4848	48"	48"	50	C808-4-4848	48"	48"	64
C808-2-4854	48"	54"	54	C808-4-4854	48"	54"	68
C808-2-4860	48"	60"	57	C808-4-4860	48"	60"	72

OTHER SIZES AND CAPACITIES AVAILABLE

* BASE ONLY (APPROX.)

CORNER POSTS — SETS OF 4 POSTS

2,000 LB. CAPACITY			4,000 LB. CAPACITY		
MODEL NUMBER	HEIGHT ABOVE DECKBOARDS	WEIGHT LBS. PER SET	MODEL NUMBER	HEIGHT ABOVE DECKBOARDS	WEIGHT LBS. PER SET
C810-2-16	16"	14	C810-4-16	16"	23
C810-2-18	18"	15	C810-4-18	18"	25
C810-2-20	20"	16	C810-4-20	20"	27
C810-2-22	22"	17	C810-4-22	22"	29
C810-2-24	24"	18	C810-4-24	24"	31
C810-2-26	26"	19	C810-4-26	26"	33
C810-2-28	28"	20	C810-4-28	28"	35
C810-2-30	30"	21	C810-4-30	30"	37
C810-2-32	32"	22	C810-4-32	32"	39
C810-2-34	34"	23	C810-4-34	34"	41
C810-2-36	36"	24	C810-4-36	36"	43
C810-2-38	38"	25	C810-4-38	38"	45
C810-2-40	40"	26	C810-4-40	40"	47
C810-2-42	42"	27	C810-4-42	42"	49
C810-2-44	44"	28	C810-4-44	44"	51
C810-2-46	46"	29	C810-4-46	46"	53
C810-2-48	48"	30	C810-4-48	48"	55

Add on numbers for base deck options

(Recommend for Long Post)

(9) For 9" Deep Pockets with 42" thru 48" Post

(12) For 12" Deep Pockets with 49" thru 60" Post

(15) For 15" Deep Pockets with 61" thru 72" Post

(W) Wood Slat Deck (S) Steel Deck

(P) Plywood Deck (X) Expanded Metal Deck


(WM) Wire Mesh (PM) Perferated Metal

Note: Proper pocket size must be ordered if posts, ends or side frame are to be used.

ACCESSORIES FOR STACKING RACKS

END FRAMES

2,000 LB. CAP.			
MODEL NUMBER	LENGTH	HEIGHT ABOVE DECK	WEIGHT LBS. PER SET
C814-2-3030	30"	30"	40
C814-2-3036	30"	36"	45
C814-2-3042*	30"	42"	50
C814-2-3048*	30"	48"	55
C814-2-3630	36"	30"	42
C814-2-3636	36"	36"	47
C814-2-3642*	36"	42"	52
C814-2-3648*	36"	48"	57
C814-2-4230	42"	30"	45
C814-2-4236	42"	36"	50
C814-2-4242*	42"	42"	55
C814-2-4248*	42"	48"	60
C814-2-4830	48"	30"	47
C814-2-4836	48"	36"	52
C814-2-4842*	48"	42"	57
C814-2-4848*	48"	48"	62
C814-2-5430	54"	30"	50
C814-2-5436	54"	36"	55
C814-2-5442*	54"	42"	60
C814-2-5448*	54"	48"	65
C814-2-6030	60"	30"	52
C814-2-6036	60"	36"	57
C814-2-6042*	60"	42"	62
C814-2-6048*	60"	48"	67



Removable end frames give you flexibility in handling materials

- End frames 42" or taller should have a minimum 9" deep pockets on base unit for stability

Note:

Proper pocket size must be ordered if end frames are used

4,000 LB. CAP.			
MODEL NUMBER	LENGTH	HEIGHT ABOVE DECK	WEIGHT LBS. PER SET
C814-4-3030	30"	30"	58
C814-4-3036	30"	36"	66
C814-4-3042*	30"	42"	74
C814-4-3048*	30"	48"	82
C814-4-3630	36"	30"	61
C814-4-3636	36"	36"	69
C814-4-3642*	36"	42"	77
C814-4-3648*	36"	48"	85
C814-4-4230	42"	30"	65
C814-4-4236	42"	36"	73
C814-4-4242*	42"	42"	81
C814-4-4248*	42"	48"	89
C814-4-4830	48"	30"	68
C814-4-4836	48"	36"	76
C814-4-4842*	48"	42"	84
C814-4-4848*	48"	48"	92
C814-4-5430	54"	30"	72
C814-4-5436	54"	36"	80
C812-4-5442*	54"	42"	88
C814-4-5448*	54"	48"	96
C814-4-6030	60"	30"	75
C814-4-6036	60"	36"	83
C814-4-6042*	60"	42"	91
C814-4-6048*	60"	48"	99

CHANNEL COLLARS



CHANNEL COLLARS

Removable collars slip over corner post and provide channels for insertion of side and or end panels.


Panels can be supplied by Acme or by you out of plywood, fiberboard, wood and etc.

2,000 LB. CAP.		
MODEL NUMBER	ABOVE DECK POST HEIGHT	WEIGHT LBS. PER SET OF 4
C812-150-16	16"	10
C812-150-18	18"	11
C812-150-20	20"	12
C812-150-22	22"	13
C812-150-24	24"	14
C812-150-26	26"	16
C812-150-28	28"	17
C812-150-30	30"	18
C812-150-32	32"	19
C812-150-34	34"	20
C812-150-36	36"	22
C812-150-38	38"	23
C812-150-40	40"	24
C812-150-42	42"	25
C812-150-44	44"	26
C812-150-46	46"	28
C812-150-48	48"	29


4,000 LB. CAP.		
MODEL NUMBER	ABOVE DECK POST HEIGHT	WEIGHT LBS. PER SET OF 4
C812-217-16	16"	11
C812-217-18	18"	12
C812-217-20	20"	13
C812-217-22	22"	15
C812-217-24	24"	16
C812-217-26	26"	17
C812-217-28	28"	18
C812-217-30	30"	19
C812-217-32	32"	21
C812-217-34	34"	22
C812-217-36	36"	23
C812-217-38	38"	24
C812-217-40	40"	25
C812-217-42	42"	27
C812-217-44	44"	28
C812-217-46	46"	29
C812-217-48	48"	30



2 PANELS



3 PANELS



4 PANELS

STANDARD & CUSTOM FABRICATED PORTABLE RACKS

CHECK CAPACITY REQUIRED

2000 LBS.

4000 LBS.

OTHER _____

CHECK BASE FRAME STYLE REQUIRED
OTHER STYLES AVAILABLE



OPEN

TWO WAY
STANDARD

TWO WAY
SIDE

FOUR WAY
STANDARD


FOUR WAY
SIDE

FOUR WAY
TTT


CHECK DECK STYLE REQUIRED
OTHER STYLES AVAILABLE




OPEN
FRAME




WOOD
SLATS



PLYWOOD



STEEL
DECK



EXPANDED
DECK


CHECK LOADING PATTERN
OTHER PATTERN (PLEASE LIST)



FULL
LOAD




CENTER
LOAD



OVER HANG
FLAT LOAD




POINT
LOAD



ROUND
LOAD

QUANTITY _____
WIDTH _____ LENGTH _____
POST HEIGHT ABOVE DECK _____
POST OVERALL LENGTH OF TUBE _____
STACKING HOW HIGH _____
HEIGHT OF SIDE FRAME (IF REQUIRED) _____
HEIGHT OF END FRAME (IF REQUIRED) _____
STANDARD PAINT COLOR BLUE, PLEASE LIST
SPECIAL COLOR (IF REQUIRED) _____



ACME RACK

Phone: 660-465-ACME
(2263)

FAX to: 660-465-2294